

Global POPs and Mercury UNEP Findings and Activities



For

Workshop on Long Range Transport of Toxic Substances to the Great Lakes

Ann Arbor, Michigan USA

Paul Whylie
UNEP Chemicals



Global POPs and Mercury: UNEP Findings and Activities



Discussion reserved to four activities:

- Regionally Based Assessment of Persistent Toxic Substances
- Global Mercury Assessment
- National Implementation Plans
- Global Monitoring of POPs





Objective of the Project


To deliver a measure of the nature and comparative severity of damage and threats posed at national, regional and ultimately at global levels by PTS





Globe divided into 12 regions

MAP OF THE GEOGRAPHICAL REGIONS OF ASSESSMENT







Methodology employed

- Steering Group to monitor project implementation
- Regional Teams coordinated assessment
- Over 15,000 questionnaires filled
- 52 Technical Workshops and Meetings
- 10 Priority Setting Meetings
- 12 Regional Reports completed





Regionally Selected Chemicals

- Hexachlorocyclohexanes (HCH, lindane)
- Polycyclic aromatic hydrocarbons (PAHs)
- Endosulphan
- Pentachlorophenol (PCP)
- Organic mercury compounds
- Organic tin compounds
- Organic lead compounds
- Phthalates





Regionally Selected Chemicals


- Polybrominated diphenyl ethers (PBDE)
- Chlordecone
- Octylphenols
- Nonylphenols
- Atrazine
- Short chain chlorinated paraffins (SCCPs)
- Perfluorooctane sulfonate (PFOS)
- Hexabromobiphenyl (HxBB)





Priority Source Issues

Obsolete stocks and reservoirs of pesticides



- Region 3 ~ 80000 tonnes
- Region 5 ~ 120000 tonnes
- Other regions ~ 50000 tonnes
- Total ~ 250000 tonnes

Does not include contaminated sites





Priority Source Issues - POPs

Stocks/Use of PCBs

Some 1.7millon tonnes produced historically





Transformers, capacitors, hydraulic fluids, stored drums....healing oils!?





Priority Source Issues - POPs





- Industrial emissions of PCDD/PCDFs
 - ♦ Releases to air from 21 developed countries ~ 20000g I-TEQ
 - ♦ Globally ? More work to be done





- Priority Source Issues POPs
- Emissions of PCDD/Fs & PAHs from open burning









- ♣ Dumps, crops, backyard waste, forest fires, carcass disposal....
- Could constitute > 50% of global emissions precise measurements and estimates difficult





Priority Source Issues - POPs



DDT use

~ 15-20000 tonnes produced annually

Malaria vector control, agricultural use....?



Concentrations range 1-1000mg/L in freshwaters



Detected throughout all regions in soil (<106mg/kg)





- Priority Source Issues Emerging chemicals
 - Intentionally produced chemicals






PBDEs, PFOS, SCCPs, phthalates, alkylphenols, HxBB.....many unanswered questions





Priority Environmental Issues – POPs

Some residues of PTS pesticides constant or increasing in the polar regions...., PCBs, HCHs, Toxaphene > DDT, chlordane, 'drins, HCB...dependent on compartment of the environment.









Priority Environmental Issues – POPs

PCBs continue to show



in developing countries










Priority Environmental Issues

- Pesticide chemicals in use
- Lindane, endosulphan, atrazine
 Found increasingly in many environmental compartments






September, 2003





Priority Environmental Issues


data gaps data gaps data gaps



- PCDD/Fs, PBDEs, SCCPs, PCP, nonly/octylphenols, PFOS, HxBB, Phthalates, Org. metal compds.
- → Global source profile required
- → Strategic global monitoring
- → Transparent network to include industry











resolved resolution and site specifici

resolved coarsely

unresolved generic

Koziel & Pudykiewicz, 2001 **MPI-MCTM** MSCE-POP

BETR World **G-CIEMS**

CliMoChem POPCYCLING-Baltic BETR North America

> Globo-POP **EVN-BETR**

Strand & Hov, 1995

POPsMe CoZMo-POP CalTOX,

SimpleBox/ELPOS ChemCan,

EQC/TaPL3 ChemUK,

Unit World

ChemRange

regional

ChemFrance

continental

global

spatial scale





Root causes of PTS

- Persistence
- Low water solubility
- High toxicity
- Unsustainable production/consumption
- Cost of chemicals
- Perceived effectiveness
- Ignorance








Barriers to solutions

- Lack of scientific data
- Lack of monitoring and inventory capacity
- Lack of suitable legislative framework
- Ineffective enforcement of regulations
- Illegal trade and inappropriate use
- Lack of awareness, information and coordination
- Commercial pressures
- Lack of financial resources
- Lack of availability and acceptance of alternatives





Developed capacity, regulation and enforcement II, III, upper IV, VII, Australia



Undeveloped capacity, regulation and enforcement XI, X, IX, VIII, VI, V, lower IV





POPs related Recommendations

- Ratification of International Environmental Conventions
- Global strategy for Implementation of NIPs
- Global strategy for elimination of DDT use for malaria control





General Recommendations

- Update of RBA PTS
- Filling of data gaps
- 3 Assessment of open burning as a source of PTS
- 4 Creation of a resource centre for new PTS chemicals
- 5 A global strategy for increasing public awareness
- 6 Production of a global source profile
- Establishment of a global strategy for technology transfer
- 8 Development of capacities for determining the LRT of PTS



UNEP Global Mercury Assessment



- Why a global assessment of mercury?
- Why is mercury a global issue?
- What is being done at international level?






Why a global assessment of Hg?

Initiated by UNEP Governing Council in 21st session (2001)


 Concerns raised in different fora that national/regional action not sufficient to resolve problems within borders





Global cycling of mercury increases the problem







Global cycling of mercury increases the problem



- Anthropogenic activities ↑ levels of Hg 3-fold since preindustrial times.
- Fossil fuels/incineration of waste ~70 % of global emissions.
- Estimated 13 million miners supporting 100 million people

Estimates of Hg released from mining ~ 300 -1000 metric tons/year





UNEPs mercury programme



- In the short term:
 - Build inventory of uses and releases
 - Identify populations at risk
 - Monitor mercury levels
 - Develop action plans to deal with problems
- In the long term:
 - Encourage and support implementation of national and regional action plans to deal with problems
 - Support and facilitate discussion on further actions to be undertaken





Support for the programme

- Need financial contributions from countries to finance
 UNEP's mercury programme
- Mobilize bilateral and multilateral funding for projects in developing countries
- The US has already supported previous activities with both financial resources and technical expertise/knowledge







Overview of National Implementation Plans

Under the Stockholm Convention on POPs



Concept



- What is a NIP?
- Instructed under the Stockholm Convention Article 7
 - **♦A planning document explaining how the commitment made will be addressed:**
 - ✓ identifies country situation
 - ✓ sets priorities for initiating future activities to protect health and environment from POPs
 - ✓ provides framework for a country to develop and implement priority policy and regulatory reform, capacity building and investment programmes



How? -- resources



- GEF will provide funds to cover the agreed full cost, up to a maximum of US\$500,000 per country, for enabling activities using the expedited procedure.
- Requests for more than US\$500,000 will be considered on a case-by-case basis, but will be processed under the normal procedure (PDF-B)



Building experience: The 12 country pilot project



- A learning process for broad application
- Basis for the GEF initial guidelines
- Will test and complement generic and technical guidelines for the development of NIPs and the adoption of POPs management options (lessons learned)





The 12 Countries









- Five step process
 - Coordination and organization
 - 2 Inventory of POPs & infrastructure
 - 3 Priority setting
 - 4 NIPs and NAPs formulation
 - **5** Endorsment
- Process proposed by expert group & reviewed in 4 regional workshops





- General lack of data on chemicals levels in the environment
- Adequate monitoring limited to OECD countries, Arctic, Baltic, North Sea, Great Lakes
- Analysis, evaluation and assessment of threats from individual chemicals difficult without sufficient data
- Monitoring needed for effectiveness evaluation of measures taken under Stockholm Convention according to Article 16





- Workshop to Develop a POPs Global Monitoring Programme to Support the Effectiveness Evaluation of the Stockholm Convention on POPs held in Geneva, Switzerland, 24-27 March 2003
- Objective: Develop guidance for a POPs Global Monitoring Programme for consideration by the POPs INC7 in June 2003





Working groups were held on:

- Assessment needs for the Stockholm Convention
- Substances and analytical techniques
- Sample Matrices, Site Selection and Sampling Techniques
- QA/QC and Data Treatment
- Data Communication





The workshop proceedings are available on the GMP website:

http://www.chem.unep.ch/gmn/default.htm





Next steps:

- Expert consultation to develop a guidance document for a POPs GMP
- Testing guidance document in a pilot region
- Development of an inventory of laboratories



UNEP Findings and Activities



- RBA PTS Project
- UNEP mercury programme
- Stockholm Convention NIPs
- Global monitoring programme

Thank You